





# NATURAL

## NATURALES NATURAL TILES

	NATURAL UNGLAZED	
	Características dimensionales Dimension tolerance	<1,25% máx 2 mm.
	Absorción de agua Water absorption	3<E≤6%
	Coef. Dilatación termica lineal Linear thermal expansion coefficient	3,8x10 <sup>-6</sup> xC <sup>-1</sup>
	Resistencia a la flexión Breaking Strength	20 a 25 N/mm <sup>2</sup>
	Resistencia a la abrasión profunda Resistance to deep abrasion	<393 mm <sup>3</sup>
	Resistencia al rayado (Método Mohs) Scratch hardness of surface (Mohs Method)	6
	Resistencia a las manchas Resistance to stains	clase 3 a 5 class 3 to 5
	Péndulo (CTE) Not required out of Spain	clase 3 class 3
	A pie descalzo Barefoot slip resistance	C
	A pie calzado Slip resistance with footwear	R11
	Extrusión Extruded tiles	✓
	Resistencia a la helada Frost resistance	✓
	Resistencia al choque térmico Resistance to thermal shock	✓
	Resistencia química Chemical resistance	✓



Natural



FORMATOS SIZES

40x40 · 33x33 · 25x25 · 20x20 **cm.**  
16x33 · 12x25 · 6x25 · 6x33 **cm.**





Natural



**BASE 6x25\*** Natural Cod. 902878 [MC415]

**TILE 6x25\***  
[62x244x10 mm.]


\* Se obtiene a partir de base de 12x25 premarcada.  
\* It is obtained from 12x25 premarked tile.



**BASE 6x33\*** Natural Cod. 903942 [MC427]


**TILE 6x33\***  
[62x325x10 mm.]

\* Se obtiene a partir de base de 12x33 premarcada.  
\* It is obtained from 12x33 premarked tile.




**BASE 12x25** Natural Cod. 900013 [MC415]

**TILE 12x25**  
[119x244x14 mm.]




**BASE 16x33** Natural Cod. 901068 [MC460]

**TILE 16x33**  
[159x325x16 mm.]




**BASE 20x20** Natural Cod. 900181 [MC400]

**TILE 20x20**  
[195x195x14 mm.]




**BASE 25x25** Natural Cod. 900005 [MC390]

**TILE 25x25**  
[244x244x14 mm.]




**BASE 33x33** Natural Cod. 901001 [MC440]

**TILE 33x33**  
[325x325x16 mm.]



**BASE 40x40** Natural Cod. 901200 [MC570]

**TILE 40x40**  
[395x395x20 mm.]



1 Base	Tile	5 Rodapié	Skirting board
2 Peldaño	Stair-tread	6 Vierteaguas	Wash
3 Esquina	Stair-tread corner	7 Pasamanos	Handrail
4 Zanquín	String	8 Cantonera	Edging



Natural 25x25

	Espesor (mm) Thickness (mm)	U.M.*	U.M./Caja U.M./Box	U.M./Palet U.M./Pallet	Pzs./U.M. Pcs./U.M.	Pzs./Caja Pcs./Box	Kg./U.M. Kg./U.M.	Kg./Caja Kg./Box	Kg./Palet Kg./Pallet
<b>Base 6x25 (12x25 premarcada)</b> Tile 6x25 (premarked tile 12x25)	10	m <sup>2</sup> sqm	0,64	76,8	64	40	17	10,640	1276,8
<b>Base 6x33 (12x33 premarcada)</b> Tile 6x33 (premarked tile 12x33)	10	m <sup>2</sup> sqm	0,87	52,2	45,45	40	17	15	1350
<b>Base 12x25</b> Tile 12x25	14	m <sup>2</sup> sqm	0,5	60	32	16	24,80	12,40	1489
<b>Base 16x33</b> Tile 16x33	16	m <sup>2</sup> sqm	0,68	40	18	12	30,6	20,4	1225
<b>Base 20x20</b> Tile 20x20	14	m <sup>2</sup> sqm	0,84	50,4	25	21	24,2	20,32	1219
<b>Base 25x25</b> Tile 25x25	14	m <sup>2</sup> sqm	1	60	16	16	26	26	1560
<b>Base 33x33</b> Tile 33x33	16	m <sup>2</sup> sqm	0,66	42,624	9	6	32,6	21,75	1391
<b>Base 40x40</b> Tile 40x40	20	m <sup>2</sup> sqm	0,64	19,2	6,25	4	40,1	25,6	769,8

\* Unidad de Medida. Los artículos medidos en m<sup>2</sup> o ml se sirven contando la junta normal entre piezas.

\* Unit of Measure. Items measured in sqm or lm are delivered assuming average joint between pieces.

### PELDAÑO RECTO 25

STRAIGHT STAIR-TREAD 25




[244x330x52x20 mm.]

**Natural** Cod. 901315 [PZ180]

### PELDAÑO RECTO 33

STRAIGHT STAIR-TREAD 33




[325x330x52x20 mm.]

**Natural** Cod. 901316 [PZ240]

### ESQUINA RECTA

STRAIGHT STAIR-TREAD CORNER



[330x330x52x20 mm.]

**Natural** Cod. 901317 [PZ465]

### PELDAÑO REDONDEADO 25

ROUNDED STAIR-TREAD 25



[244x330x53x18 mm.]

**Natural** Cod. 900024 [PZ180]

### PELDAÑO REDONDEADO 33

ROUNDED STAIR-TREAD 33




[325x330x53x18 mm.]

**Natural** Cod. 901051 [PZ240]

### ESQUINA REDONDEADA

ROUNDED STAIR-TREAD CORNER




[330x330x53x18 mm.]

**Natural** Cod. 900040 [PZ465]

### ZANQUÍN RECTO IZDA.

STRAIGHT STRING LEFT SIDE




[390x80/200x100x16 mm.]

**Natural** Cod. 901318 [PZ100]

### ZANQUÍN RECTO DCHA.

STRAIGHT STRING RIGHT SIDE



[390x80/200x100x16 mm.]

**Natural** Cod. 901319 [PZ100]

### RODAPIÉ 25

SKIRTING BOARD 25




[244x80x14 mm.]

**Natural** Cod. 900030 [ML100]

### ZANQUÍN REDONDEADO IZDA.

ROUNDED STRING LEFT SIDE




[390x80/200x100x16 mm.]

**Natural** Cod. 900034 [PZ100]

### ZANQUÍN REDONDEADO DCHA.

ROUNDED STRING RIGHT SIDE



[390x80/200x100x16 mm.]

**Natural** Cod. 900456 [PZ100]

### RODAPIÉ 33

SKIRTING BOARD 33




[325x80x16 mm.]


**Natural** Cod. 901021 [ML145]

	Espe- sor (mm) Thickness (mm)	U.M.*	U.M./Caja U.M./Box	U.M./Palet U.M./Pallet	Pzs./U.M. Pcs./U.M.	Pzs./Caja Pcs./Box	Kg./U.M. Kg./U.M.	Kg./Caja Kg./Box	Kg./Palet Kg./Pallet
<b>Peldaño recto 25</b> Straight stair-tread 25	20	Pz. Pc.	6	324	1	6	3,4	20,3	1095
<b>Peldaño recto 33</b> Straight stair-tread 33	20	Pz. Pc.	6	216	1	6	4,8	28,8	1037
<b>Esquina recta</b> Straight stair-tread corner	20	Pz. Pc.	2	60	1	2	6,2	12,4	372
<b>Peldaño redondeado 25</b> Rounded stair-tread 25	18	Pz. Pc.	6	324	1	6	3,3	19,8	1069
<b>Peldaño redondeado 33</b> Rounded stair-tread 33	18	Pz. Pc.	6	216	1	6	4,4	26,4	950
<b>Esquina redondeada</b> Rounded stair-tread corner	18	Pz. Pc.	2	60	1	2	6	12	360
<b>Zanquín recto izda.</b> Straight string left side	16	Pz. Pc.	10	300	1	10	1,3	13	390
<b>Zanquín recto dcha.</b> Straight string right side	16	Pz. Pc.	10	300	1	10	1,3	13	390
<b>Rodapié 25</b> Skirting board 25	14	ml lm	11,25	450	4	45	2,3	25,9	1038,6
<b>Zanquín redondeado izda.</b> Rounded string left side	16	Pz. Pc.	10	300	1	10	1,3	13	390
<b>Zanquín redondeado dcha.</b> Rounded string right side	16	Pz. Pc.	10	300	1	10	1,3	13	390
<b>Rodapié 33</b> Skirting board 33	16	ml lm	8	576	3	24	2,3	18	1296

Anchura recomendada de la junta de colocación: 6 - 8 mm.  
Recommended joint width 6 - 8 mm.



**TABICA 25**  
RISER 25



[244x120x20 mm.]

**Natural** Cod. 900032 [PZ025]


**TABICA 33**  
RISER 33



[325x120x20 mm.]

**Natural** Cod. 900068 [PZ045]


**BORDE DESBORDANTE**  
OVERFLOWING EDGE



[330x325x22 x26mm.]

**Natural** Cod. 902795 [PZ225]


**ESQ. INT. BORDE DESBORDANTE**  
OVERFLOWING INTERNAL EDGE



[330x444x119x26 mm.]

**Natural** Cod. 901931 [JG395]


**ESQ. EXT. BORDE DESBORDANTE**  
OVERFLOWING EXTERNAL EDGE



[330x353x26x22 mm.]

**Natural** Cod. 901932 [JG395]


**REJILLA CERÁMICA MONOCOMPACT\*\***  
MONOCOMPACT CERAMIC GRID



[325x244x25 mm.]

**Natural** Cod. 902972 [PZ645]


**ESQUINA REJILLA**  
CORNER GRID



[293x244x25x80 mm.]

**Natural** Cod. 901489 [JG750]

**CANALETA\***  
OVERFLOW CHANNEL



[325x325x30 mm.]

**Natural** Cod. 901871 [PZ250]

\*\* En rejillas los agujeros siempre deben ir perpendiculares al vaso para una mayor resistencia, con canal de 250 mm. de ancho.

\*\* Install the grids with the holes always perpendicular to the pool vessel to get a greater resistance, with a channel 250 mm wide. Ver/see pg. 18.


\* **Disponible Canaleta con desagüe.**  
\* Overflow channel with drainage available.

	Espesor (mm) Thickness (mm)	U.M.*	U.M./Caja U.M./Box	U.M./Palet U.M./Pallet	Pzs./U.M. Pcs./U.M.	Pzs./Caja Pcs./Box	Kg./U.M. Kg./U.M.	Kg./Caja Kg./Box	Kg./Palet Kg./Pallet
<b>Tabica 25</b> Riser 25	20	Pz. Pc.	7	280	4	7	4	28	1120
<b>Tabica 33</b> Riser 33	20	Pz. Pc.	4,33	320,66	3	13	3,8	16,5	1217
<b>Borde desbordante</b> Overflowing edge	26-22	Pz. Pc.	4	128	1	4	5	20	640
<b>Esq. int. borde desbordante</b> Overflowing internal edge	26	Jg. Set	2	-	2	4	8	16	-
<b>Esq. ext. borde desbordante</b> Overflowing external edge	22	Jg. Set	2	-	2	4	5,4	10,8	-
<b>Rejilla cerámica monocompact</b> Monocompact ceramic grid	25	Pz. Pc.	6	378	1	6	3,58	21,5	-
<b>Esquina rejilla</b> Corner grid	25	Set Set	3	-	2	6	4,69	14,07	-
<b>Canaleta</b> Overflow channel	30	Pz. Pc.	3	99	1	3	4,36	13,3	438,6

\* Unidad de Medida. Los artículos medidos en m<sup>2</sup> o ml se sirven contando la junta normal entre piezas.  
\* Unit of Measure. Items measured in sqm or lm are delivered assuming average joint between pieces.

### VIERTEAGUAS 33X33

NATURAL WASH 33X33




[325x330x40x21 mm.]

**Natural** Cod. 900191 [PZ225]

### VIERTEAGUAS 25X25

NATURAL WASH 25X25




[244x244x40x16 mm.]

**Natural** Cod. 900036 [PZ150]

### VIERTEAGUAS 25X33

NATURAL WASH 25X33




[330x244x40x21 mm.]

**Natural** Cod. 900188 [PZ165]

### ÁNGULO DESIGUAL

UNEQUAL EDGE




[244x128x60x10 mm.]

**Natural** Cod. 904427 [PZ100]

### PASAMANOS INT. 27,5

HANDRAIL INT. 27,5




[325x311x60x18 mm.]

**Natural** Cod. 900073 [PZ285]

### PASAMANOS INT. 21,5

HANDRAIL INT. 21,5




[251x244x46x18 mm.]

**Natural** Cod. 900007 [PZ180]

### PASAMANOS INT. 15,5

HANDRAIL INT. 15,5




[244x191x40x18 mm.]

**Natural** Cod. 900016 [PZ165]

### PASAMANOS INT. 12,5

HANDRAIL INT. 12,5




[244x160x40x18 mm.]

**Natural** Cod. 900017 [PZ145]

### REMATE ESQUINA INTERIOR

INTERNAL CORNER




[325x325x65x24 mm.]

**Natural** Cod. 900184 [PZ525]

### REMATE ESQUINA EXTERIOR

EXTERNAL CORNER




[275x275x65x24 mm.]

**Natural** Cod. 900204 [PZ525]

### REMATE 33

EDGE 33



[325x275x65x25 mm.]

**Natural** Cod. 900197 [PZ290]

### REMATE 10

EDGE 10




[275x103x65x25 mm.]

**Natural** Cod. 900194 [PZ260]

### CANTONERA REF. 31

EDGING REF.31




[244x60x60x14 mm.]

**Natural** Cod. 900028 [PZ090]

### ESCOCIA

KEY PIECE




[60x60x60x16 mm.]

**Natural** Cod. 900026 [PZ180]

### ÁNGULO REF. 41R

EDGING REF. 41R



[244x60x60x14 mm.]

**Natural** Cod. 900035 [PZ100]



Natural 20x20

	Espesor (mm) Thickness (mm)	U.M.*	U.M./Caja U.M./Box	U.M./Palet U.M./Pallet	Pzs./U.M. Pcs./U.M.	Pzs./Caja Pcs./Box	Kg./U.M. Kg./U.M.	Kg./Caja Kg./Box	Kg./Palet Kg./Pallet
<b>Vierteaguas 33x33</b> Wash 33x33	18	Pz. Pc.	6	216	1	6	4,3	25,8	928,8
<b>Vierteaguas 25x25</b> Wash 25x25	16	Pz. Pc.	8	480	1	8	2,1	17	1027
<b>Vierteaguas 25x33</b> Wash 25x33	18	Pz. Pc.	6	324	1	6	3,13	18,78	1014
<b>Ángulo desigual</b> Unequal edge	10	Pz. Pc.	12	720	1	12	1,01	12,2	732
<b>Pasamanos 27,5</b> Handrail 27,5	18	Pz. Pc.	4	144	1	4	4,6	18,4	662
<b>Pasamanos 21,5</b> Handrail 21,5	18	Pz. Pc.	5	300	1	5	2,6	13	780
<b>Pasamanos 15,5</b> Handrail 15,5	18	Pz. Pc.	8	320	1	8	2,2	17,6	704
<b>Pasamanos 12,5</b> Handrail 12,5	18	Pz. Pc.	11	396	1	11	1,8	19,8	712,8
<b>Remate esq. int.</b> Internal corner	24	Pz. Pc.	2	60	1	2	7,4	14,8	444
<b>Remate esq. ext.</b> External corner	24	Pz. Pc.	2	56	1	2	6,3	12,6	354
<b>Remate 33</b> Edge 33	25	Pz. Pc.	4	168	1	4	5	19,8	832
<b>Remate 10</b> Edge 10	25	Pz. Pc.	12	504	1	12	1,85	22,2	932,4
<b>Cantonera ref. 31</b> Edging ref. 31	14	Pz. Pc.	30	1800	1	30	0,7	20,2	1215
<b>Escocia</b> Key corner piece	16	Pz. Pc.	6	-	1	6	0,3	2,3	-
<b>Ángulo ref. 41R</b> Angle Ref. 41R	14	Pz. Pc.	24	1440	1	24	0,8	19,2	1152

\* Unidad de Medida. Los artículos medidos en m<sup>2</sup> o ml se sirven contando la junta normal entre piezas.

\* Unit of Measure. Items measured in sqm or lm are delivered assuming average joint between pieces.